



## Asian Turtle Program Indo - Myanmar Conservation



Indo-Myanmar  
Conservation

Protecting today so we can see tomorrow...

*Keep up to date*

For more current news and updates on tortoise and freshwater turtle conservation in Asia,  
visit our website: [www.asianturtleprogram.org](http://www.asianturtleprogram.org)

# ‘The Catfish and the Frog’? Tadpoles of six *Megophrys* frog species identified and described for the first time in Vietnam.

In Vietnamese folklore, ‘The Catfish and The Frog’ (Truyện Trê Cóc) is a famous tale, exploring the mystery of parenthood and morphology.

In the story, a childless catfish couple steal the tadpoles of two frogs and claim they are their children. The frogs appeal to the mandarin who orders that the catfish husband be imprisoned, but the catfish wife bribes the mandarin's assistant to have the case re-examined. After inspection of the pond by the mandarin's inspectors, they declare that the tadpoles are the true offspring of the catfish [as the tadpoles look like catfish, not frogs].

In the modern day, tadpoles are unlikely to be mistaken as catfish offspring, but how do we identify the adult form of tadpoles based on its appearance alone? While our knowledge of frogs has grown substantially (over 7,200 species have been described so far), little is known about the tadpole stage of many species. However, field research being done in Vietnam is hoping to change that.

In two recently published papers in *Zootaxa*, tadpoles of 6 species of Asian Horned Frogs (genus *Megophrys*) have been found and described in Vietnam for the first time, thanks to amphibian surveys jointly conducted by the Asian Turtle Program of Indo-Myanmar Conservation, Zoological Society of London (ZSL), the Australian Museum and Hoang Lien National Park, Vietnam.



The interesting, specialised mouth parts of the tadpoles of the Giant Horned Frog (*Megophrys gigantea*).  
© Benjamin Tapley – ZSL

Asian Horned Frogs are well-known for the elongated upper "eyebrows" and so far, 107 species have been reported in the forests in southeast Asia, China and northeast India. In Vietnam, a country located in the Indo-Burma biodiversity hotspot, 21 species have been reported, including the Giant Horned Frog.

“During my time searching for frogs along streams at high elevation in Vietnam’s montane evergreen forests, I have often been impressed by the unusual behaviours of some tadpoles feeding at the water surface. This has driven me to find answers for questions: “Which species are they?” and “How and why do they choose to feed in such a way?”” says co-author Luan Nguyen, scientific officer of the ATP/IMC.

After observing the tadpoles, the researchers took photographs, morphological measurements and DNA samples, which helped to identify the

tadpoles as the larval stage of six *Megophrys* frog species. They include:

- the Mount Fansipan Horned Frog (*Megophrys fansipanensis*)
- the Giant Horned Frog (*Megophrys gigantea*)
- the Hoang Lien Horned Frog (*Megophrys hoanglienensis*)
- the Jingdong Horned Frog (*Megophrys jingdongensis*)
- the Maoson Horned Frog (*Megophrys maosonensis*)
- the Annam Horned Frog (*Megophrys intermedia*)

In the new scientific papers, the size, proportions, colour, and features of the tadpoles have been described. As well as identifying which species the tadpoles belong to, the research also describes the highly-specialised mouth parts which allow the tadpoles to feed on small particles suspended at the water surface. As tadpoles are easier to find than adult frogs, the detailed descriptions of tadpoles can assist in species detection. Indeed, in one surveyed site, only the tadpoles of two species, *Megophrys gigantea* and *Megophrys jingdongensis*, were observed, and their adult forms did not appear during the survey period.

“The description of the morphological characteristics of these tadpoles (that all belong



Tadpoles and adult form of the Mount Fansipan Horned Frog (*Megophrys fansipanensis*) found in Hoang Lien range, northern Vietnam. © Benjamin Tapley - ZSL



Tadpoles and adult form of the Giant Horned Frog (*Megophrys gigantea*) found in Hoang Lien range, northern Vietnam.



to the horned frog genus *Megophrys*) is helping to answer these questions and has moved us one step closer to understanding their evolution and natural history.” adds Luan.

The description provides essential information for the assessment of the conservation status of each species based on IUCN Red List Categories and Criteria, which in turn is a basic requirement to give recommendations to local authorities on biodiversity management and species protection.

[The paper for the first five species](#) is the result of months of surveys and research completed as part of a project funded by Ocean Park Conservation Foundation Hong Kong to survey and protect amphibian fauna in the Hoang Lien range and

a ZSL's EDGE Fellowship, while [the last species' description](#) was made possible thanks to funding by Cleveland Metroparks Zoo and Rainforest Trust.




RAINFOREST  
TRUST®




Tadpoles of the Hoang Lien Horned Frog (*Megophrys hoanglienensis*). © Nguyen Thanh Luan – ATP/IMC



Tadpoles of the Jingdong Horned Frog (*Megophrys jingdongensis*). © Benjamin Tapley - ZSL



Adult form of the Hoang Lien Horned Frog (*Megophrys hoanglienensis*). © Benjamin Tapley – ZSL



Adult form of the Jingdong Horned Frog (*Megophrys jingdongensis*). © Benjamin Tapley - ZSL

Read more about the research using the following:  
<https://www.mapress.com/j/zt/article/view/zootaxa.4845.1.3>  
<https://www.mapress.com/j/zt/article/view/zootaxa.4845.1.2>

4<sup>th</sup> September 2020

Press release by: Bich Kieu & Nguyen Thanh Luan - ATP/IMC

For further information please contact:

**Asian Turtle Program - Indo-Myanmar Conservation**

Room 1806, C14 Bac Ha Building, To Huu road,  
Nam Tu Liem Dist., Hanoi, Vietnam

PO Box 46 - Hanoi International Post Office

Tel: +84 (0) 24 7302 8389


Email: [info@asianturtleprogram.org](mailto:info@asianturtleprogram.org)

Website: [www.asianturtleprogram.org](http://www.asianturtleprogram.org)

Facebook: [www.facebook.com/AsianTurtleProgram](https://www.facebook.com/AsianTurtleProgram)



Tadpoles of *Megophrys maosonensis* were observed in another small stream in the Hoang Lien range, also at 1200m a.s.l. © Nguyen Thanh Luan – ATP/IMC



Tadpoles of the Maoson Horned Frog (*Megophrys maosonensis*). © Nguyen Thanh Luan – ATP/IMC



Tadpoles of the Annam Horned Frog (*Megophrys intermedia*) found in central Vietnam.  
© Nguyen Thanh Luan – ATP/IMC



Adult form of the Maoson Horned Frog (*Megophrys maosonensis*). © Benjamin Tapley – ZSL



Adult form of the Annam Horned Frog (*Megophrys intermedia*) found in central Vietnam.  
© Nguyen Thanh Luan – ATP/IMC